

**Amendments to the Claims**

Claims 1-26 (Canceled).

27. (New) A composition comprising  
(a) a fatty acid-acylated insulin or a fatty acid-acylated insulin analog in which the amino acid residue at position B30 is Thr, Ala or deleted, and  
(b) zinc.
28. (New) A composition comprising an aqueous solution of  
(a) a fatty acid-acylated insulin or a fatty acid-acylated insulin analog in which the amino acid residue at position B30 is Thr, Ala or deleted, and  
(b) zinc.
29. (New) The composition of Claim 28, wherein the solution comprises about 0.2 mole to about 0.7 mole of zinc per mole of fatty acid-acylated insulin or fatty acid-acylated insulin analog.
30. (New) The composition of Claim 29, wherein the pH is 6.8 to 7.8.
31. (New) The composition of Claim 30, further comprising a phenolic compound at a concentration of from 0.5 mg to 5 mg per milliliter of the aqueous solution.
32. (New) The composition of Claim 31, wherein the fatty acid-acylated insulin is N-acylated Lys<sup>B29</sup> human insulin, and wherein the fatty acid-acylated insulin analog is an N-acylated Lys<sup>B29</sup> insulin analog in which the amino acid residue at position B30 is Thr, Ala or deleted.
33. (New) The composition of claim 28, wherein the composition is a pharmaceutical composition that further comprises a phenolic compound, glycerol, and a pharmaceutically acceptable buffer.

34. (New) The composition of claim 27, wherein the composition comprises about 0.2 mole to about 0.7 mole of zinc per mole of fatty acid-acylated insulin or fatty acid-acylated insulin analog.

35. (New) The composition of Claim 27, wherein the fatty acid-acylated insulin is N-acylated Lys<sup>B29</sup> human insulin, and wherein the fatty acid-acylated insulin analog is an N-acylated Lys<sup>B29</sup> insulin analog in which the amino acid residue at position B30 is Thr, Ala or deleted.

36. (New) The composition of claim 32, wherein the fatty acid-acylated insulin is N-myristoyl Lys<sup>B29</sup> human insulin, and wherein the solution comprises from about 0.3 mole to about 0.55 mole of zinc per mole of fatty acid-acylated insulin.

37. (New) The composition of claim 36, wherein the concentration of phenolic compound is from about 2.5 mg to about 5.0 mg per milliliter of the aqueous solution.

38. (New) The composition of claim 37, wherein the phenolic compound is selected from the group consisting of phenol, m-cresol, p-cresol, o-cresol, methylparaben, and mixtures thereof.

39. (New) The composition of claim 38, wherein the phenolic compound is selected from the group consisting of phenol and m-cresol.

40. (New) The composition of Claim 27, wherein the fatty acid in the fatty acid-acylated analog is myristic acid.

41. (New) The composition of Claim 28, wherein the fatty acid in the fatty acid-acylated analog is myristic acid.

42. (New) The composition of claim 34, wherein the pH is 6.8 to 7.8.